

707N LIMESTONE NEUTRALIZER AFTER-RINSE

1. PRODUCT DATA

Product Name: 707N Limestone Neutralizer After-Rin

Producer: Diedrich Technologies, A Hohmann & Barnard Company,

150 Motor Parkway, Suite 410, Hauppague, NY 11788

Company Contact: Jonathon Byrge

Telephone: 800-283-3888

24-Hour Emergency Contact: CHEMTREC 800-424-9300 *This product is manufactured for Commercial/Industrial use.* Not recommended for: Household use.

2 - HAZARDS IDENTIFICATION

GHS Ratings:

Dermal Toxicity: Acute 1 Dermal <=50mg/kg Skin corrosive: 1A

Destruction of dermal tissue: Exposure < 3 min.

Observation < 1 hour, visible necrosis in at least one animal

Eye corrosive: 1

Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

Respiratory sensitizer: 1 Respiratory sensitizer

GHS Hazards

H310 Fatal in contact with skin

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

GHS Precautions

P260 Do not breathe dust/fume/gas/mist/vapors/sprayP261 Avoid breathing dust/fume/gas/mist/vapors/spray

P262 Do not get in eyes, on skin, or on clothing

P264 Wash hands thoroughly after handling

P270 Do not eat, drink or smoke when using this productP280 Wear protective gloves/protective clothing/eye

protection/face protection

P285 In case of inadequate ventilation wear respiratory protection

P310 Immediately call a POISON CENTER or doctor/physician

P321 Specific treatment (see section 4)P322 Specific measures (see section 5)

P361 Remove/Take off immediately all contaminated clothing

P363 Wash contaminated clothing before reuse

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P302+P350

IF ON SKIN: Gently wash with soap and water

P303+P361+P353

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P304+P341

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing

P342+P311

Call a POISON CENTER or doctor/physician

P405 Store locked up

P501 Dispose of contents/container according to local regulation

Danger







Hazards Not Otherwise Classified: None



3. COMPOSITION

| Chemical Name/ CAS No. | | ACGIH Exposure Limits | Other Exposure Limits |
|--------------------------------------|-----------------------------|---------------------------|---|
| Acetic acid 64-19-7 37 percent | 10 ppm TWA; 25 mg/m³ TWA | 15 ppm STEL 10 ppm TWA | NIOSH: 10 ppm TWA; 25 mg/m³ TWA 15 ppm STEL 37mg/m³ STEL |

4. FIRST AID MEASURES

Inhalation: Remove from further exposure. For those providing assistance, avoid exposure to yourself. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, a trained individual should attempt to resuscitate while getting immediate medical aid.

Eye Contact: Rinse cautiously with water for serveral minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.

Skin Contact: In case of skin contact, remove contaminated clothing. Flush the skin with large amounts of water, then wash the skin with soap and water.

Ingestion: If conscious, give 2 to 3 glasses of water. Do not induce vomiting and seek medical attention immediately.

Notes to Physician: No data found.

5. FIRE FIGHTING MEASURES

Flammable Limits: LEL: N/A UEL: N/A

Flash Point: No data available.

Extinguishing Media: Use extinguishing agent suitable for

type of surrounding fire.

Unusual Fire or Explosion Hazards: No data available.

Hazardous Combustion Products: See Section 10 for a list of hazardous decomposition products for this mixture.

Fire Fighting: If evacuation of personnel is necessary, evacuate to an upwind area. Decontaminate personnel and equipment with a water wash-down after fire and smoke exposure.

Fire Fighting: Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Isolate the area and contain the spilled material. Persons not wearing the appropriate PPE should be removed from the area until the spill is cleaned up. Stop leak if you can do it without risk, stay upwind, and avoid run off to waterways and sewers.

SMALL SPILLS: Prevent entry into waterways, sewers, basements or confined areas. Use a non-combustible material like vermiculite or sand to soak up the product and place into a container for later disposal.

LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas. Dike to collect large liquid spills, collect leaking liquid in sealable compatible containers.

ACID SPILLS: Neutralize with Soda Ash, (Sodium Carbonate) Hydrated Lime, (Calcium Hydroxide) or Baking Soda (Sodium Bicarbonate). Cautiously neutralize remainder. Then wash away with plenty of water.

7. HANDLING AND STORAGE

Handling Precautions: Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times as vapors can accumulate in confined or poorly ventilated areas. Use the product in a manner which minimizes splashes and/or the creation of dust. Keep containment closed when not in use. Do not handle or store material near heat, sparks, or open flames, or other sources of ignition.

Storage: Prevent from freezing. Store at room temperatures, i.e., 40° to 95°F (4° to 35°C)

Regulatory Requirements: No data found

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

| Chemical Name/ | OSHA | ACGIH | Other Exposure Limits |
|------------------------|-----------------------------|----------------------------|--|
| CAS No. | Exposure Limits | Exposure Limits | |
| Acetic acid 64-19-7 | 10 ppm TWA; 25 mg/m³ TWA | 215 ppm STEL 10 ppm TWA | NIOSH: 10 ppm TWA; 25 mg/m³ TWA 15 ppm STEL 37 mg/m³ STEL |

Engineering controls: Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to the workstation location.

Ventilation Control: Provide adequate ventilation to control airborne concentration below the exposure guidelines/limits.





Administrative controls: No data found.

Personal Protection: As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1910.132), employers must perform a hazard assessment of all workplaces to determine the need for proper protective equipment for each employee.

Eye Protection: Normal industrial eye protection practices

should be employed.

Skin Protection: In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.

Respiratory: If airborne concentration limits are not met, an

approved respirator must be worn.

Contaminated Equipment: Dispose of the waste in compliance with federal, state, regional, and local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Melting point: Not Determined Freezing point: Not Determined

Solubility: Complete Boiling range: 100°C Flash point: 999°C, 999°F

Evaporation rate: Not Determined

Flammability (UEL & LEL): Not Determined

Appearance: Yellow Odor: Vinegar Physical State: Liquid

Vapor Pressure: Not Determined Odor threshold: Not Determined Vapor Density: Not Determined

pH: 1-3

Explosive Limits: 0%

Partition coefficient (n-Octanol/water): Not Determined

Autoignition temperature: 463°C

Decomposition temperature: Not Determined

Viscosity: Not Determined Density: 1.042260765 Weight Per Gallon: 8.5 lbs

10. STABILITY AND REACTIVITY

Stability: STABLE

Incompatibilities: No data found.

Hazardous Decomposition Products: *Note:* these are all possible decomposition products based on molecular

structure of components.
- Oxides of Carbon

- Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Mixture Toxicity

Dermal Toxicity: 3.00mg/kg Inhalation Toxicity: 30.84mg/L

Component Toxicity:

64-19-7 Acetic acid

Oral:3,310.00 mg/kg (Rat)
Dermal: 1,060.00 µL/kg (Rabbit)
Inhalation: Rat mg/L (Rat)

Routes of entry: No data found.

Target Organs: Eyes, Skin, and Respiratory System **Effects of Overexposure:** Causes severe skin burns and

eye damage.

12. ECOLOGICAL INFORMATION

Ecotoxicity: No data available for this product.

Component Ecotoxicity

Acetic acid

96 Hr LC50 Pimephales promelas: 79 mg/L [static] 96 Hr LC50 Lepomis macrochirus: 75 mg/L [static] 48 Hr EC50 Daphnia magna: 65 mg/L [Static]

13. DISPOSAL

Refer to the latest federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

The following is for US DOT Highway transportation. Other modes/jurisdictions may have different classifications.

| Agency | Proper Shipping Name | UN Number | Packaging Group | Hazard Class |
|--------|-------------------------------------|--------------|--------------------|-----------------|
| US DOT | Corrosive Liquid NOS. (Acetic Acid) | UN1760 | Ш | 8 |

15 - REGULATORY INFORMATION

This listing is to highlight federal level regulation of the product. Individual states, and other nations may have further regulations not listed below.

US DOT List of Marine Pollutants (172.101 - Appendix B): None

US DOT List of Hazardous Substances and Reportable Quantities (172.101 Appendix A): 64-19-7 Acetic acid 37%

US DOT List of Severe Marine Pollutants

(172.101 - Appendix B): None

SARA Section 302 Extremely Hazardous Substances

(40 CFR 355): None

Sara Section 302 Threashold Planning Quantity: None



SARA Section 313, Toxic Chemicals (40 CFR 372.65): None

SARA Reportable Quantity: 64-19-7 Acetic acid 37%

Toxic Substances Control Act (TSCA): None

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1985 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act, and Title 40 of the Code of Federal Regulations, part 372.


16. OTHER INFORMATION

Date of Preparation: July 1st, 2016 **Revision Date:** June 16th, 2023

Hazardous Material Information System (HMIS)

Health 2
Flammability 0
Physical Hazard 1
Personal Protection D

National Fire Protection Association (NFPA)



HMIS & NFPA Hazard Rating Legend

- * = CHRONIC HEALTH HAZARD
- 0 = INSIGNIFICANT
- 1 = SLIGHT
- 2 = MODERATE
- 3 = HIGH

0 = LEAST 1 = SLIGHT 2 = MODERATE 3 = HIGH 4 = EXTREME

LEGEND

N.D. = NOT DETERMINED N.A. = NOT AVAILABLE N/A = NOT APPLICABLE

DISCLAIMER: While this company believes that the data contained herein are factual and the opinions expressed are based on tests and data believed to be reliable, it is the user's responsibility to determine the safety, toxicity and suitability for his own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by this company as to the effects of such use, the results to be obtained, or the safety and toxicity of the product, nor does this company assume any liability arising out of use, by others, of the product referred to herein. Nor is this information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or governmental regulations.

REQUIRED SUPPLEMENTAL CONTRACT TERMS: Failure to obtain a property owner's written acceptance of the enclosed Required Supplemental Terms and Conditions for Restoration Contract shall release any and all of the manufacturer's express or implied warranties (including, without limitation, merchantability and fitness for particular purpose) and user shall indemnify and hold manufacturer harmless from all liability cost and expenses arising in any way from use of or contact with this product. All claims of any kind against manufacturer arising from or related to this product in any way shall be decided by binding arbitration in accordance with the Construction Industry Arbitration Rules of the American Arbitration Association.

Copyright © 2016

Diedrich Technologies is a division of



TEL: 800-645-0616 | FAX: 631-234-0683 EMAIL: weanchor@h-b.com | www.h-b.com