

NEUTRA SOAK C**SECTION I - PRODUCT IDENTIFICATION****MANUFACTURER**

DIEDRICH TECHNOLOGIES INC.
A Division of Sandell Construction Solutions
7373 S. 6TH STREET, OAK CREEK, WI 53154
Phone: 4 14-764-0058

PRODUCT NAME:**DIEDRICH NEUTRA-SOAK C****02-08****SECTION II - HAZARDOUS INGREDIENTS**

NOTE: Hazardous acidic ingredients in this product are in a water diluted form; not in the pure concentrated acidic form.

CHEMICAL NAME	CAS NO.	NFPA CODE	TLV	PEL
Sodium Bisulfate	7681-38-1	0/0/0	NE	NE
Hydrous Magnesium Silicate	14807-96-6	0/0/0	2mg/m ³	20 mppcf
Triton N-101	68412-54-4	0/0/0	NE	NE

SPECIFIC CHEMICAL IDENTITY AND PERCENTAGE CONTENT OF INGREDIENTS WITHHELD AS TRADE SECRET PURSUANT TO MASSACHUSETTS REGULATIONS. REPORTING REQUIREMENTS OF SECTION 313 TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 10 CFR PART 373 APPLY.

SECTION III - PHYSICAL DATA**BOILING POINT (°F):** Not applicable**VAPOR PRESSURE (mmHg):** Not applicable**VAPOR DENSITY (Air=1):** Not applicable**SOLUBILITY IN WATER:** 15.5%**VOLATILE ORGANIC COMPONENTS:****SPECIFIC GRAVITY (H₂O=1):** Not measured**% VOLATILE (by weight):** None**EVAPORATION RATE (Ether=1):** None**APPEARANCE AND ODOR:** Off white to gray powder with Slight odor.**SECTION IV - FIRE AND EXPLOSION HAZARD DATA****FLASH POINT:** Not applicable**FLAMMABLE LIMITS:** Not applicable**EXTINGUISHING MEDIA:** Water, CO₂, foam, dry chemical or etc. for surrounding fire.**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus and full personal protective equipment to prevent skin contact.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** In extreme fire conditions could give off oxides of sulfur and carbon.NEW YORK
800.283.3888WISCONSIN
800.323.3565ALABAMA
877.726-3355

WWW.DIEDRICHTECHNOLOGIES.COM

Revised 08.19.08

SECTION V - HEALTH HAZARD DATA

PRIMARY ROUTES OF EXPOSURE: Inhalation, skin, eyes, ingestion.

CARCINOGENIC INFORMATION: Not listed (OSHA, IARC, NTP).

MEDICAL CONDITIONS AGGRAVATED BY OVEREXPOSURE:

EFFECTS OF OVEREXPOSURE:

EYE CONTACT: Will cause irritation and/or burns.

SKIN CONTACT: May cause burns to tissue

INHALATION: Will cause irritation and/or burns to tissue

INGESTION: Will cause irritation and/or burns to tissue

EMERGENCY AND FIRST AID PROCEDURES:

EYE CONTACT: Immediately flush eyes with copious amounts of water for at least 15 minutes. Immediately consult a physician.

SKIN CONTACT: Immediately flush effected area with water for 15 minutes, remove contaminated clothing and shoes. If redness or irritation persists consult a physician.

INHALATION: Remove victim to fresh air. If not breathing give artificial respiration. Consult a physician.

INGESTION: If conscious give large quantities of water. Do not induce vomiting. Consult a physician.

SECTION VI - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Extreme heat.

HAZARDOUS/THERMAL DECOMPOSITION PRODUCTS: Heating to over 300 Deg. C can release toxic sulfur oxide gases.

SECTION VII - SPILL OR LEAK PROCEDURES

SPILL, LEAK AND WASTE DISPOSAL PROCEDURES:

LARGE SPILLS: Wearing a dust mask and proper personal protective clothing, sweep up spilled material for reuse and place in plastic container

SMALL SPILLS: Sweep up spilled material and place in plastic container for reuse.

WASTE DISPOSAL METHODS: Dispose of in accordance to all local, state and federal regulations. This material will need to be neutralized with diluted hydrochloric or acetic acid before disposal.

SECTION VIII - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Use NIOSH or MSHA approved dust mask if dust is present.

VENTILATION: General

PROTECTIVE CLOTHING: Chemical resistant full body protection.

PROTECTIVE GLOVES: Neoprene, nitril or pvc gloves

EYE PROTECTION: Chemical goggles.

OTHER PROTECTIVE EQUIPMENT:

Apply Diedrich recommended skin barrier cream for additional protection. Solvent resistant boots and hardhat. Safety shower and eyewash or fresh running water close at hand.

SECTION IX - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Keep away from heat, sparks, and open flames. Use with adequate ventilation. Store away from oxidizing materials. Avoid prolonged or repeated contact with skin. After this container has been emptied it may contain explosive and/or harmful vapors and residue. **OTHER PRECAUTIONS:** None know.

LEGENDS:

0 = LEAST

1 = SLIGHT

2 = MODERATE

3 = HIGH

4 = EXTREME

N.D. = NOT DETERMINED

N.A. = NOT AVAILABLE

N/A = NOT APPLICABLE

While this company believes that the data contained herein are factual and the opinions expressed are based on tests and data believed to be reliable, it is the user's responsibility to determine the safety, toxicity and suitability for his own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by this company as to the effects of such use, the results to be obtained, or the safety and toxicity of the product, nor does this company assume any liability arising out of use, by others, of the product referred to herein. Nor is this information herein to be construed as absolutely complete since additional information may be necessary or desirable when particular or exceptional conditions or circumstances exist or because of applicable laws or governmental regulations.

REQUIRED SUPPLEMENTAL CONTRACT TERMS: Failure to obtain a property owner's written acceptance of the enclosed Required Supplemental Terms and Conditions for Restoration Contract shall release any and all of the manufacturer's express or implied warranties (including, without limitation merchantability and fitness for particular purpose) and user shall indemnify and hold manufacturer harmless from all liability cost and expenses arising in any way from use of or contact with this product. All claims of any kind against manufacturer arising from or related to this product in any way shall be decided by binding arbitration in accordance with the Construction Industry Arbitration Rules of the American Arbitration Association.

